



CONTAIN



**XCELERATED NITROGEN
CAN REDUCE NITRATE
LEACHING BY 47%**



WHAT IS CONTAIN™?

- An advanced nitrogen management aid with NBPT
- Specifically formulated for urea and UAN
- Increases nitrogen efficiency, availability, and uptake



HOW DOES CONTAIN™ WORK?

- NBPT reduces nitrogen volatilization
- Xcelerated Nitrogen™ technology maintains nitrogen placement without disturbing soil biology



WHY USE CONTAIN™?

- Specifically formulated for urea and UAN, but can be used with multiple sources of fertilizer
- Non-toxic with no detrimental effects on soil bacteria
- Proprietary quick dry formulation

APPLICATION RATE

UREA
2 qt (64oz) per ton or 2 L per tonne

LIQUID FERTILIZERS
1.5 qt (48 oz) per ton of UAN (28%, 30%, or 32%)*
or 1.5 L per tonne

*For best results, use treated UAN solution soon after mixing

LIQUID MANURES
13.5-18 oz per acre or 400 mL per acre
988 mL per hectare

SHAKE WELL BEFORE USE
DO NOT FREEZE

CONTAIN

PRINCIPAL FUNCTIONING AGENTS

ACTIVE INGREDIENTS

NBPT, Co-Polymers, Alcohols, Emulsifiers	100.0%
Total	100.0%

GENERAL INFORMATION

CONTAIN is intended to be used as a management tool to improve nitrogen availability and uptake as an additive to a regular fertilizer program. **CONTAIN** aids in the surface application protection of nitrogen while increasing soil nitrogen efficiency. **CONTAIN** is not intended to provide the nutrients normally required by agricultural crops.

DIRECTIONS FOR USE + APPLICATION RATES

UREA	2-3 qt (64-96 oz) per ton (or 2-3 L per MT) of urea
LIQUID FERTILIZER	1.5 qt (48 oz) per ton (or 1.5 L per MT) of UAN (28%, 30%, or 32%) * *For best results, use treated UAN solution soon after mixing.
LIQUID MANURE	13.5-18 oz (0.4-0.5 L) per acre

MIXING INSTRUCTIONS

UREA: **CONTAIN** may be used to treat urea prior to application to the field – including pretreatment. Under certain temperature and humidity conditions, urea blended with **CONTAIN** may stick together. Application of urea to the field is recommended soon after treatment to provide the best results.

LIQUID FERTILIZER: **CONTAIN** may be mixed with liquid fertilizers such as aqua ammonia or other liquid ammoniacal or urea nitrogen fertilizers. Liquid fertilizers containing high levels of phosphate should not be used with **CONTAIN**. If pesticides are added to the tank mix in conjunction with liquid fertilizers, a compatibility jar test should be performed prior to large scale application to the field.

LIQUID MANURE: **CONTAIN** may be mixed with liquid animal manures. **CONTAIN** may be applied to slurry pit or through an injection system as material is loaded into applicator.

MANUFACTURED FOR



©G0821 AgXplore

AgXplore International, LLC
7035 State Hwy D
P.O. Box 638
Parma, MO 63870
(573) 357-4506
agxplore.com



WARNING
KEEP OUT OF REACH
OF CHILDREN

NET CONTENT	<input type="checkbox"/> 1 gal (3.79 L)
	<input type="checkbox"/> 2.5 gal (9.46 L)
	<input type="checkbox"/> 2 x 2.5 gal (2x9.46 L)
	<input type="checkbox"/> Bulk _____ gal or L
NET WEIGHT	8.78 lb/gal (1.05 Kg/L)
	© 68°F (20°C)

**SHAKE WELL BEFORE USE
DO NOT FREEZE**

CONTAIN

STORAGE AND DISPOSAL

Store in a cool, dry place in original container. DO NOT FREEZE. Keep container tightly closed. Do not reuse empty container. Triple rinse then offer for recycling or for disposal in a sanitary landfill, or by other means in accordance with local, state, and federal regulations.

PRECAUTIONARY STATEMENTS

Avoid contact with eyes and skin. Avoid breathing vapors or spray mist. Wear eye/face protection and protective gloves. Do not eat, drink, or smoke when using this product. Wash hands thoroughly after handling. Use adequate ventilation. Keep away from open flame. In case of fire, use dry chemical fire extinguisher to extinguish.

FOR A SPILL, LEAK, EXPOSURE, OR FIRE INVOLVING THIS PRODUCT, CALL CHEMTREC (800) 424-9300 [24 HRS]

FIRST AID

If in eyes: Hold eye open and rinse gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes and continue rinsing.
If on skin: Take off contaminated clothing immediately. Rinse skin with water for 15-20 minutes. If symptoms persist, contact a poison control center or doctor for treatment advice.

STATEMENT OF TERMS AND CONDITIONS OF SALE, INHERENT RISKS OF USE, WARRANTY DISCLAIMER, AND LIMITATION OF REMEDIES

STOP! READ BEFORE USING

Do not buy or use this product unless you have read and understand the entire label, including Terms and Conditions of Sale, Inherent Risks of Use, Warranty Disclaimer, and Limitation of Remedies. Return unopened container at once if terms are unacceptable.

TERMS AND CONDITIONS OF SALE

By buying and/or using this product, the Buyer or User accepts the Terms and Conditions of Sale, the Inherent Risks of Use, the Warranty Disclaimer, and the Limitation of Remedies.

INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with the use of this product. Failure to use or apply according to label instructions, abnormal environmental conditions, presence of other materials, and other factors may result in lack of product performance, crop injury, and other undesirable consequences. The Buyer or User accepts all such risks.

WARRANTY DISCLAIMER

AgXplore International, LLC warrants that this product reasonably conforms to its chemical description on the label and is reasonably fit for the purposes stated on the label, when the product is used according to the Directions for Use and under normal conditions. AgXplore International, LLC makes no other warranty, expressed or implied.

LIMITATIONS OF REMEDIES

To the extent permitted by law, the Buyer's or User's exclusive remedy for any injury, loss, or damage resulting from handling or use of this product shall be limited to one of the following, at the discretion of AgXplore International, LLC: Direct damages not exceeding the purchase price of the product or replacement of the product. AgXplore International, LLC and the seller of this product shall not be liable for consequential, special, or incidental damages or losses, nor damages in the nature of a penalty.

No employee or agent of AgXplore International, LLC, nor any employee or agent of the manufacturer or seller of this product, is authorized to vary or exceed the Terms and Conditions of Sale, Inherent Risks of Use, Warranty Disclaimer, or Limitation of Remedies in any manner, including but not limited to a written or verbal statement.

MANUFACTURED FOR



©G0821 AgXplore

AgXplore International, LLC
7035 State Hwy D
P.O. Box 638
Parma, MO 63870
(573) 357-4506
agxplore.com



WARNING
KEEP OUT OF REACH
OF CHILDREN

NET CONTENT 1 gal (3.79 L)
 2.5 gal (9.46 L)
 2 x 2.5 gal (2x9.46 L)
 Bulk _____ gal or L

NET WEIGHT 8.78 lb/gal (1.05 Kg/L)
@ 68°F (20°C)